

9. Search	ome Centres	view allgriment	EPHALIGANDEBINDING DOMAIN	/316 page(s) [6310 row(s)]	csv 🗐 Export		Confidence	100			S S	100	100 100	100	100	8	100	100-7	100
Cupura	n 2Ger	7	JNI8-QN	page(s)	CSV		A light	247			246	246 ∓	246	245	246	246	246	245	245
S 63	Prote		AILIGA	/316			Allgar	643		643	637	634 ± 24	631	629	628	83	ឌូ	95.90 611	63.30 592
. e.	O.F.y		ALPH	-			<b>®</b> Д	ğ	_	8	94.30 637	94.30	97.20 631	96.30	95.10 628	96.1	89.80 622	95.90	96.89
	Diransc	T.	redeptor	Peline Search			Cluster	023040		AAD53275.1 100 643 ··	P06212	P06212	P06211	029040 196.30 629	P06211	P06211	ОЭУНТЗ	303 - 551 Q29040	P16058
	se Lirks		OGEN F				Target Region	306 552		116-362	907 <b>–</b> 546	75-66Z	311 – 596	255-806	755 - <i>10</i> 6	195-EIE	61 - 306	308 - 551	995-TZE
	E Mou		HUMANIESTROGEN REG			Maxil Page	Query	1-247			2-247	NS - 662 1 182 - 2	3-247	3-247	2-247	22.247	2-247	<b>8</b>	3-247
	ENGB		WITH A				Length	292		405	685	285	665	595	565	009	349	<b>5</b> 84	229
ds[)	4: Home En Netscape 4, Search (3) Shop   Discokmarks Diroots DiFamilies Chiphamatica CNCBI Collouss Links Differior CIFIV DiProtein Controls		angili 247. Dascripto		Next	PAGES: होत्या (1   डा. ३। ३। ३। ३। ३। ३। ३। ३। ३। ३। ३। ३। ३।	Organism Length Query Furget	Homo sapicos (Human). 595		Homo sapiens	Galhs galhs (Chickeo).	Poephila guttata (Zebra finch) (Taeniopygia guttata).	Mus musculus (Mouse). 599	Sus scrofa (Pig).	Mesocricetus auratus (Golden hamster).	Ratus narregions (Rat).	Anolis carolinensis (Green anole) (American chameleon).	Banus caballus (Horse).	Oncorbynchus mykiss (Rainbow trout) (Salmo gairdoczi).
(i) S Chttp://bpdprd07.38080/morpheus/2/jsp/index/js	ETools EF		ino saplens i EN			। इस्ता द्या हो।	Description.	Estrogen	CESTUTE LEKY	Not given	Estrogen receptor (ER) (Es	Estrogen receptor (ER) (Es.:	Estrogen receptor (ER) (Rs	Estrogen receptor (ER) (Rs	Estrogen receptor (ER) (Es	Estrogen receptor (ER) (Es	Estrogen receptor (ER) (Es	Estrogen receptor (ER) (Rs	Estrugen receptor (ER) (Es
38080/mon	Bookmarke		janism: Hor Y-rAMOXIE		golumn for	ជាលាខា	Code	203372		- AAD53275.1 Not given	206212	032160	219785	229040	330Z/IS	112902	рухнтэ	29TV98	850912
/bpdprd07	Shop D	ılts	HTA G HYDROX	Results		41516171	Surree DB	RSO RSA RR IDE SWISS-PROT P03372		Bank	RSO RSA RR DE SWISS-PROT P06212	RSO RSA ER DE SWISS-PROT 091250	RSO RSA ER DP SWISS-PROT P19785	ESO ESA ER DE SWINS-PROT 022040	RSO RSA RR DP SWISS-PROT Q9QZJS	RSO RSA RR DE SWISS-PROT P06211	ESO ESA RE DE SWISS-PROT QUENTE	RSO RSA NR DP SWISS-PROT O9TV98	RSO RSA KR IDE SWISS-PROT P16658
shtp.	arch 🖎	p Resu	MITH 3	ader <sup>n:1</sup>	ource D	12131		NS ZEE		t DE Gen	SW.	S DE SWI	S SW	WS SW	R DE SW	R DE SW	R DE SW	MS and	WS SW
(2) (3) (2) (3) (4) (4) (4) (4) (4) (5) (8) (8)	ecape of Se	Relationship Results	antasten Cate 3ERI.A. Granium Homo Nicomplex with a HYDROXYTAMOXIEN	Genome Threader <sup>n:</sup> Results	Searchin Source DB	AGES: Firm	Links	RSO RSA RU		RSO RSA XR DP GenBank	TESO RSA R	FISO RSA E	RSO RSA E	T RSO RSA RI	TRSO RSA R	TISO RSA TO	RSO BSA RU	FSO RSA RU	T RSO RSA R

Figure2A


3/47

Relationship	:	PROCKE	Search School Effort and Penulist Plantist Plumbrania Chick Muse Like Charic Chy Choish Didenois Cardes	lles Plinhama	E .	ACB 918	ouse Linki	O Farse	S	Š		
	ship Results	The second secon	A CONTRACTOR		100						<b>8</b>	Vew alignment
A CONTRIBUTION		n.coste 3ert.a. Organium Hõmo EXWITHA-HYDROXYTAMOXIEEN		0.04C - 12€-12ED		thor. HUMAN ESTROGENIA	SITROGEN	AE0EPT0	R'ALP	I PHAILIGAN	4 6 5 6	EINDING DOMAIN
Genome Thread	hreader <sup>na</sup> Results	Its	11					Peline Search	fil	316	age(s) { (	/316 page(s)   6310 row(s)
Search in Sour	Source DB	🕶 column for	Prev Next	Next							E ASS	Export
PAGES: First   22	원 정 정	। छ। छ। छ।	្រា (មាម(២)២)២)១ មាន ២០១២ ២០២ ២០២	। व्याक्टा व्याक्ता	40   41	: Eer	Prev Page	Prev Page Next Page				
Links	Source	opo2	Description	Organism Length	Length		Target	Claster	8 A	Align. Score	Align Length	Confidents
NSO RSA RR DP GenBank	GeoBank		AAB66138.1 Eypothetical protein T2787	Caenochabditis	424	$\overline{}$	195-419	AAB66138.1 11.60	11.60	256	232	100
RSO RSA RR DP GenBank	GenBank	AAB53273.1	mineralocorticoid	Sus scrofa	25 1	15-22	1-155	AAB53273.1 19		256 163		100
RSO RSA RR DP GenBank	GenBank	CAA05410.2 protein	protein	Homo sapieds	614	15-247	394-604	394-604 - CAA05410:2 14.60 256	14.60		239	100
RSO RSA RR DI	M. RR DP Geoßenk	CAB00123.1	Not given	Caenomabditis	<b>§</b>	17-240	184-405	CAB00123.1 16.60 255	16.60	: 1	229	) 100 
O RSA RR DI	GeaBank	AAA81156.1	RSO RSA RR DR GeolBenk AAA81156.1 Evpodhetical protein CSGE1	Caenorhabditis elegans	73	6-240	293 - 544	AAA81156.1 14.40 255	14,40		257	100
RSO RSA RR DP GenBank	GenBank	CAC42097.1	CAC42097.1 ERbeta pratein	Canis familiaris	220			CAC42097.11 60.70 255	60.70	·	•	100
SO RSA RR DI	GenBank	RSO RSA RR DP GeoBack AAG15179.1	nuclear recentar NHR-88	Caecochabditis elegans	288	7-238	625-161	AAG15179.1 15.40 254	15.40		240	100
NSO PSA RR DP GenBank	Georganic	AAG15180.1	nuclear receptor	Caenonhabditis elegans	408	30-239	t: :	AAG15180.1 12.10 254	12,10		231	100
RSQ RSA RR DI	M RR DP Georgank	CAB00126.1 Not given	Not given	Cacnothabditis elegans	412		189 – 381	CAB00126.1 17.70 254	17.70	\$2	226	100
RSO RSA KR DI	GenBank	AAG24095.1	NA TR DE GenBank AAG24095.1 Hypothetical protein	Caenochabditis	399	34-239		AAG24095.1 10.60 253	10.60	253	227	8
RSO RSA RR DP GenBank	Geor Bank	AAKS4128.1		Dirofilaria immitis 358	s 358	29 – 243	113-31 <i>7</i>	AAKS4128.1 15.30 253	15.30		216	100
RSO RSA RR DI	A RR DP GenBank	CAC02968.1	proliferator ac	Salmo salar	482	4-204	089622	CAC02968.1 16.40 253	16.40		214	100
RSO RSA RR DP GeoBank	GenBank	AAG15138.1		Caenorhabditis elegans	<del>8</del>	13-212	301 – 501	AAG15138.1 15.90 251	15.90		208	100
RSO RSA KR DP GeoBank	GeoBank	AAL.02466.1	AAL02466.1 Hypothetical protein C45E5	Caecorhabditis	576	18-212	343-543	AAL02466:1 15,90 251	15.90		208	100
NSO RSA NR DP GenBank	GenBank	AAB52312.1	AABS2312.1 Hypothetical protein C03G6	Caenorhabditis elegans	430	14-241	185-430	AAB52312.1 15.40 251	15.40		259	100
RSO RSA RR DP GenBank	GenBank	CAA16293.1	CAA16293.1 Not given	Caenorhabditis	270	2-239	192-6	CAA16293.1 12		250	266	100

Figure 2B


Fig. 19   10   10   10   10   10   10   10		Q Search Coo	State of the same	wew atgranent	FALPHATEGAND_BINDING DOMAIN	and the state of t		/55 name(s) 1 1093 mw(s)		csv → Export			U Im   E-Value	14 -4 2.0B-16	10 -4 1:0B-15	4 -4 3.0B-15	3:4 3.0B-14		11. 4. 5.08-12	9 -4 5.0E-11	1 -4 7.08-10	4	- 4 - 20B-7	3 -5 9.0B-48	3 -5 4.0B-47	15 4.0E-36	-5 1.0E-30	2 -5 203-9	1: -5 2.08-8
Onnorpheus/2  sylridex  sp		es 6	المستسبب المراجعة المستسبب		ALPHALIGAN			, į	,			b ( ">, " )	Chaster		CAA92473.1	AAB32663.2 24	AAB34984.1 13	AAG15185.1 11	AAK17972.1 11.	AAL08043.1 19	AAK17972-111	AAB69901.1 13	AAB69894.17	CAB60400.1 13	CAB54410.1 13	CAB60908.1 11	AAG15133.1 8	AAB69281.1 12	CAA05410.2 11: -5
Omorpheus/2 spfindex. sp    Charles   Prev   Next   Prev					Ö			Hottne Sent			Page Ment	▙		158 <b>–</b> 265		47 – 100	81-105	62-23	320 – 450	147 – 218	338-465	116-223	061 - EZT	152-65	1-20	161-411	83-63	226-391	441-518
Ofmorpheus/2  spilndex  spi    Interest   Prev   Next     Interest   Prev   Next     Interest   Prev   Next     Interest   Prev   Next     Interest   Interest   Interest     Interest   Interest   Interest   Interest     Interest   Interest   Interest     Interest   Interest   Interest   Interest     Interest   Interest   Interest   Interest     Interest   Interest   Interest   Interest     Interest   Interest   Interest   Interest     Interest   Interest   Interest   Interest     Interest   Interest   Interest   Interest   Interest     Interest   Interest   Interest   Interest   Interest   Interest     Interest   Interest   Interest   Interest   Interest   Interest   Interest   Interest   Interest   Inter			1,1		STROGEN						Prey Page	- Green	Region	3-107	10 - 203		3-112			3-78		1	11.		Г		042-01		8-3
Omorpheus/2  spfindex  s	-				MANE						75		Len		Π.	100	122				474		ŀ	Г	٠.,			I —	150
Relationship Results  Relationship											CT   55   55   65   Z5   15		Organism	Caenorhabditis elegans	Caenorhabditis elegans	Rattus norvegicus	Malacosoma disstria	Caecorbabditis elegans	Cacnothabditis elegans	Caenorhabditis elegans	Caenorhabdins clegans	Caecorhabditis elegans	Caeporhabditis elegans	Caenorhabditis elegans	Caeporhabditis elegans	Caenorhabditis elegans	Caenorhabdins clegans	Атружота техісат	Ното затиств
Except 30 Evolution Leave Leave  Relationship Results  Relationship Rela		neus2/jsp/index.jsp	A Proposition of the Proposition	discourse of the second		N.				Prev Next	45 46 47 48 49 50	・ 数数をおり できる。	Description	Nuclear hormone receptor £	Not given	mineralocorticoid type I	hormone receptor 3	nuclear receptor NHR-94	nuclear receptor	Hypothetical protein K08A2	nnclear receptor NHR-2	Hypothetical protein F13A2	Not given	Notgiven	Not given	Not given	nnclear receptor NHR-43	developmental orphan	protein
Relationship Results  Constitute and a shop in the state of the shop in the sh	2	7:38080/morp	3Bookmarks		o Property	NV-TEATHOXIE		***		olumn for	41 (42   43   44		Code	<u> </u>	CAA92473.1	AAB32663.2	AAB34984.1	AAG15185.1	AAK17971.1	AAL08044.1	AAK17972.1	AAB69901.1	AAB69894.1	CAB60400.1	CAB54410.1	CAB60908.1	AAG15133.1	AAB69281.1	CAA05410.2
NACES PETATORNIA REPORT OF THE PROPERTY OF THE		ttp://bpdprd0	Cours ic.	esults		H. L. HVDH.C		T THE PARTIES			37   38   39   40		Source DB	SWISS-PROT	GenBank	GenBank	GenBank	GeoBank	GenBank	GenBank	GeoBank	GenBank	GenBank	GenBank	GenBank	GenBank	GenBank	GenBank	GenBank
			scape of Search	Relationship R	ide S Hollstidiew	neonPla⇒cmi		ov la logiaosia	**************************************	Search in Source	AGES: First   35		1	TISO RSA ERE DE	RSO RSA RR DP	RSO RSA RR DP	RSO RSA RR DP	RSO RSA RR DP	RSO RSA RR DP	T RSO RSA KR DP	NSO RSA TRE DR	RSO RSA IR DP	RSO RSA RR DP	RSO RSA RR DP	TASO RSA KR DP	RSO RSA AR DP	RSO RSA RR DP	RSO RSA AR DP	REO RSA KR DP


Figure 2C



🕞 🕒 😭 🖨 S Shittp://www.ncbl.nim.ningov/Structure/cdd/wrpsb.cgi
4 Home Minetscape 4 Search (2) Shop   Chookmarks Choos Changles Chipmanasca Chook Chooke Links Chiansc Chy Chipman Changes Chiansc
Lical CD-Search Edited in
IRS-HIAST 2.2.2 [Dec-14-2001]
Quarys local sequence: gi 4753768 cab Chab5410.2  protain  Bono sepient
Datzhase: ossis sep.71.54 3693 PSSIs: 718,011 toral columns
Mouse-over boxes to display more information
1 14 14 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15
Key 'Show other proteins containing these domains
<ul> <li>This CD elignment includes 3D structure. To display structure, download Cn.3D v3.00!</li> </ul>
Score B PSSMs producing significant alignments: (bits) white
• gallSmardsmart00399 ZaP. C4, c4 zinc finger in nuclear bormone receptors 51.2 2e-10 • gallPfamlafam00105 xf-C4, Zinc finger, C4 type ((wo domains). In resary all cases 56.6 4e-09
• gollSmartkmart00399, ZoP_C4, c4 ziec finger in nuclear hormone tecepturs
Add query to mailtiple silgnment, display up to 10 - sequences most similar to the query
CD-Length = 73 residues, 94.5% aligned Score = 61.2 bits (147), Expect = 2e-10
quary: 304 latycdyscshyovslenkvytns-grindag-fingchtskurskyrbal-11. 360 Sdjce: 4 privoddrsothioviskrankrikkkyrkkyrhokkirkarnkarnik 63
Quary: 361 RILESSIR 369 Sbjot: 64 KILYUNIP 72
• <u>pullYambfam0010S,</u> xf-C4, Zho fingez, C4 type (two domains). In nearly all cases, this is the DNA binding domain of a nuclear hormone receptor. The alignment contains two Zho finger domains that are boo dissimilar to be aligned with each other.
Add greey to multiple alignment, display   up to 10   sequences   most similar to the query
OD-Length = 75 residues, 82.9% aligned Score = 56.6 bits (135), Expect = 40=09
Oberty 304 LELAVEDTAKOSTATVVVSICANTEVPROS OF THE ACT OF

Fire And Sequences, PubMed, Textnony, LinkOut
CAMOS410  GAM STOREM [Base suptions]  GAM STOREM  GAM
tras, 18957, USA On May 5, 1199 this sequence version replaced gi: <u>2687718</u> .
abutce 1.64 formalism Homo equiens
/
/thausus sype="breast" / thausus sype="breast"   fild
frieduce-protein* 1. Est PSS- /gene-psS-
/coded_py="AJUVAX25, 2; 51, 11, 1345"
iginistyon quagrovet sauktyirise ilialuvat cymalaidot kahvaluyil delainisva apallaputu pahkopinga kwawaydda kanakyifi dieldeglik lainiskak lapisesyan sapilaboyd wiziogikit walipukay dilaniska dakisikoga teambilis agasdakti wapakédpa gekantha askegyon labaslajla agasdakti wapakédpa gekantha askegyon labaslajla
activations observance assessment in spiritual industrial industri
Ravised: October 24, 2001.








Figure 5D

dimire 6

Figure 7A

Carlo Carlo Carlo Manual Bodord		NA 200 PA			-				
	07:38080/mor	heus2/jsp/index.jsp			111		86	earch	Q. Search (%) N
	<b>C</b> Bookmarks			1 ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (					
Relationship Results	,	Action Comments	de la constante de la constant						slow alignatent
soccolan Code: CAAosa102: Cr	02 Conne	รหล : - รบคุดเคร อเบอ)	ग्रम्, हे ।ये मान्यकाद्गाका prot	JU.					
RMOBI PSI-BLAST 114 Results	S:				Red	Refine Search	105	(s)aŭed	/105 page(s)  2093 row(s)
Search in Source DB	न column for	Prev Next						8	csv - Export
PAGES: First 39 140   41   42   43	।स्रास्त्रास्त्रा	ह्या । ह्या छ।	भाष्ट्राङ्गाञ्च। प्रका	Prey P	Prev Page Next Page	Page			
Links Source DB	Code	Description	Organism	Length	Length Region	Target Region	Chader	8 H	Best R-Vair
RSQ RSA RR DP GeoBank		AAC78212.1 Hypothetical protein VCS.5	Caeaorhabditis elegans	761	275-385	328-467	AAC78212.1 16	1 16 5	1.0B-8
RSO RSA RR DP SWIRS PROT	T <u>042132</u>	Estrogen receptor (ER)	Pagrus major (Red sea bream) (Chrysophrys major).	581	709-901 1	-514···	042132	ន	S 208-8
RSO RSA RR DP GeorBank	AAG45108.1	AAG45108.1 spalt transcription factor	Xenopus laevis	1377	113-477	324-646	AAG45108.1 10	110	203-8
RSO RSA RR DP PDB	3KRD1A	HUMAN ESTROGEN RECEPTOR AL	Homo sapiens	246	441-518	υ <u>-</u> -3	1QKU	11.	2.0B-8
RSO RSA RR DP PDB	3ERD:B	HUMAN ESTROGEN RECEPTOR AL	Ното заріспя	238	441-518	14-5	D3jÖt	11 5	2.0E-8
RECT TO EX	3ER T4A	HUMAN ESTROGEN RECEPTOR AL	Ното зарієюз	247	441-518	4-70	10ku	a i	S 2.0E-8
FOR PEA REAL PROPERTY OF THE P	1ERR.A	HUMAN ESTROGEN RECEPTOR I.L.	Homo sapiens	225	441-518	89	1QKU -	2	2.0B-8
T RSO RSA KR IIP PDB	10KT:A	MUTANT ESTROGEN NUCLEAR RE	Ното варієва	248	441-518	22-9	1QKTU	11 5	2.0E-8
I ISO NSA KR DP PDB	10KU4B	WILD TYPE ESTROGEN NUCLEAR	Ното sapieos	247	441 – 518	6-72	1010	4 1	S2.0B-8
TRSO RSA RR DP PDB	10KU1C	WILD TYPE ESTROGEN NUCLEAR	Ното sapiens	742	41-518	6-72	1QKU	11 5	2.08-8
ESO REA IR IP PDB	Vi25VI	ESTROGEN RECEPTOR ALPHA LL.	Homo sapiens	682	441 – 518	4-7	10 KU	= 5	20B-8
RSO RSA KR DR PDB	1A52:B	ESTROGEN RECEPTOR ALPHA LL.,	Homo sapiens	240	441-518	11-5	JQKTU	11 5	2.0E-8
RSO PSA PR DP GeoBack		AAC25856.1 Hypothetical protein	Caenorhabditis elegans	328	318-398	27-108	27-108 AAC258561 18	86 28	3.08
RSO RSA RR DP GenBank	BAA 28626.1 Not given	Not given	Ното sapiens	1454	169-304	1014-1163	1014-1163 AAD24360.1 11	11	3.02-8

Figure 7B

CAA05410.2 3ERT	MGPENESPVGGEMWGRVCVFSARQKRPRCSTLNSLLVARTCYNMLALVDWIEQDFKSTWR 60
CAA05410.2 3ERT	KAHVSLRGFLDFELGRRKEVAGAFLGGDTRPDPKKPRGGSKKNVEVYDDDVGSQAADSPG 120
CAA05410.2 3ERT	KRMAPKGTFRDKDKFEGLFKLGALVAKKALTPAFSCSPNRGSPLHAHYGDEILYKVESGP 180
CAA05410.2 3ERT	VNICEGGKRGVGIHPPDNYGDTLDENLGLPQKIVIKVKPQTEEANTWLRQDLKNHNSAKE 240
CAA05410.2 3ERT	AGGSDEIKTFVTGCKKDGHSGRKNMTTHDRNSKKWQRVNLSLMASLQLDSRGGRAGPRRG 300
CAA05410.2 3ERT	ARRLCIVCEDYASCSNTCVWSCEAYKVEFRRSQSFTDPACFTNDCNISKNRSKSCPACLL 360
CAA05410.2 3ERT	RCLHPSINEIRKDKRAALKVRDNVGEEVDMTGPSWTCLKLLESDGEKVIPRLGHELPGIK 420 ALSLTADQMVSALLDAEPPILYSEYDPTRPFSEASMMGLL 346
CAA05410.2 3ERT	GGRQAKQQSHRGSPIPKNRKGWPPGHVLSNDGGAGGRVWKKKSCKPIRREGPKWWDRLN- 479 TNLADRELVH-MINWAKRVPGFVDLTLHDQVHLLECAWLEILMIGLVWRSMEHPGKLLFA 405
CAA05410.2 3ERT	520 PNLLLDRNQGKCVEGMVEIFDMLLATSSRFRMMNLQGEEFVCLKSIILLNSGVYTFLS 463
CAA05410.2 3ERT	HWLAEQHHMRATGGKMAYLLIEEDIG-QHHGQGFPVM <mark>IL</mark> KISHIRHWVGGVAH 572 STLKSLEEKDHIHRVLDKITDTLIHLMAKAGLTL <mark>Q</mark> QQHQRLAQL <mark>LL</mark> ILSHIRHMSNKGME 523 ******DIMER HELIX*****
CAA05410.2 3ERT	C <mark>LY</mark> DMKEKKFVLPSWKVEKLGKYVETLRTEKEHRAAEASPQT 614 H <mark>IN</mark> SMKCKNVVPLYDLLLEMLDAHRLHAP 552 ***

Figure 8: Genome Threader alignment (3ERT numbering corresponds to position in the full-length sequence rather than crystallised domain)




Figure 9: Dimerisation helix is enclosed in dotted box.

Figure 10

nch sea	***************************************		delva	ALTER T		1				9 0 0	S. Search	2
ip Results Gene Ceans	Shop 🗈	L Search :  Shop										
serio de la companya	dinale 7 fol	STERRATUS NOVELINES TONES	Yearway 1919	aloue nes prote								ver algument
alleria Results	ilts	indered a first of the state of							Rethie Seath	arth	labed L /	7 page(s)   108 tov/s)
Source DB	-   Columnior	na for	:								E VSS	csv → Export
112131318	6121	ral Prove										
iks Susce	Surre DB Code	_	П	Organism	Tength Q	Length Query Region	Turget Regim Chester % ID Allyn. Seure Allyn. Length Confidence	Chater	% ID A	ameg ra	Algo, Length	Confidence
THE DESCRIPTION OF PERSONS	IE3G:A	-		Homo sapiens	250	C18 - 689	1-20	1E30	10.50		8	Ē
BOL REALES DE POB	A:TEIL	CRYSTAL STRUCTURE OF THE R.A.	, .	Rettus norvegions	246	999 - 120	'£61-6		10.60 309		180	18
EGT TO MAN TO PEDS	A:SEII	CRYSTAL STRUCTURE OF THE B		Rattus nervegicus	242	869 - TZP	£07-6	1E30	10.60 309		881	8
BOY NEW PDB	IEJK:A	HUMAN PROGESTERON RECEPTOR	1	Homo sapiens	251 40	41-19	- 200 	1,428	1020 299		187	8
ROA ER ER PDB	JEDK-B	HUMAN PROGESTERON RECEPTOR	Г	Homo sepiens	249	413-539	1-100	824	1020 239		161	8
PSO PSA FR DP PDB	1A28.A	HORMONE-BOUND HUMAN PROGES	T	Home rapiens	251	tu-19	4-#	8ZV1	10.20 239	ir L.	197	8
BOLL REAL READS PURB	1A28;B	HORMONE-BOUND HUMAN PROCES	1	Homo espiens	249 417	42-13	1-139	1428	10.23		161	ŝ
BOA BEARE DE PDB	3ERD:B	HUMAN ESTROCEN RECEPTOR AL	L	Homa septens	₩ ₩	119-617	11-218	IQKU	14.50 287	1:	762	81
REG PEA RA DE PDB	3ERT:A	HUMAN ESTROGEN RECEPTOR AL		Home sapiens	27.	m-m	9-247	10KU	13.90 283		777	8
ROUTER TRADE PUB	3ERD-A	HUMAN ESTROGEN RECEPTOR AL	·	Homo sapiens	246 41	113 - 611	10-246	iQKU.	22		242	8
BOY 10 MI AND POS	1OKU:A	WILD TYPE ESTROGEN NUCLEAR		Homo sepiens	250	199-00	14-250	10KU	14 279		242	8
BOA REARER PDB	TOKUB	WILD TYPE ESTROGEN NUCLEAR	Γ	Homo sepiens	247	11)-CD	17:342	10KU	323		212	95 190
BOL JON WE DE PUB	TOKNIC	WILD TYPE ESTROGEN NUCLEAR	Γ	Homo sapiens	247	113 - 601	11 - 107	IQKU	14 279		242	8
RSQ RSA RB DE PDB	10KT:A	MUTANT ESTROGEN NUCLEAR RE.	_	Homo supiens	248 41	19-CF	11-307	10KU	14.50 270		342	8
REG TESA RE DE POB	MXE	HOMOLOGOUS-EXTENSION-BASED	Т	NA	237 42	40 - SM	4-137	1QKU	13.80 266		82	8
ESQ BSA BA DE PDB	IERE:A	HUMAN ESTROGEN RECEPTOR LI	1 . 1 .	Homo sepiens	\$33	- 643 - 855	13-235	10KU	15.80 259		22	8
MEG PESS BER DE PDB	ERE:B	HUMAN ESTROGEN RECEPTOR LI		Homo espiens	235	643 - 830	13-253	10KU	15.80 259		25	ŝ
BOA JURI ASA DEN	JERE C	HUMAN ESTROCEN RECEPTOR LI		Home samens	235	65-19	112 - 01	10KU	15.80, 259		202	190
REG PSA RR DP PDB	TERED	IERE:D HUMAN ESTROGEN RECEPTOR LI		Homo sapiens	235	643 - 679	127-EE	IQKU	15.80 259		CEZ.	81
FIRST REALITY PDB	1	IERE:E HUMAN ESTROGEN RECEPTOR LI	Π	Romo septens	82	143-04	12-23.	10KU	15.80' 25	1580' 259 177 777	202	8
CLEAR	View Clipboard	board										
11121212131415181211144	18121124	Heal Piens										
entra esta esta esta esta esta esta esta est		Sart By:			de Marine Marine States	Stradige Services						
		1485	i kalina teat indiani		and a completion to too for	1016						
			Conf	Confidence		ing :						
				P44 1								

Figure 11

		O K HIM	dord07-380	R0/mornheis/2/isn/index.isn	The second secon			1	Search .	To the second	200
Column   C	Malerano	South So	PIP OU		***************************************		Section 2				
Company   Comp	Ammon I Gall of	Total Paculto		ľ					Address of the second of the s	MOWB	gnmen
Section 18   Sec		All the second	செர்கள்	artinisti (mensisti in mensisti	in the partein and the second					The state of the s	
Source OB   Communication   Print   North Communication   Print   Pr		PSJ-BLAST TA Results						Jeithe South	96/	51   (s)añed	3)AVG1 021
12-ba   Source DB   Cycle   Description			column for	Prev						CSV -	hodx
1840   Socret DB   Code   Description   Secret DB   Socret DB   Code   Description   Description   Code   Description   Description   Code   Description	J.	812131818181818	19 10 11 12	13114 12 16 17 16 14 16 1	Preu, Paug 112x1 Pare						
SER DER ARE IN STATES -FROT [1181]   Redrick selft receptor, grow.   Hone supline (Henro).   145   140 - 147   15, 410   141	Text			Destription	Deganisen	#3	-	leget legen			E-Value
	C	NES RE STE SWISS-PRO	TEISEI	Rethole acid recentor gram		-		Ť	AH13709.1 12	s	1.0E-43
	L	NEA BE BY SWISS-PRO	T P19911	Retinde addreceptor gamen		83	Γ.		AH13709.5 10		1.0B-43
State Rank Rad   State Rad	I.	BSA ER DE SWISS-PRO	TP222	Rethole add receptor gam		Г			AH137091 12	2	1.0E-43
		BSA ER DP SWISS-PRO	T P20787	ij			٠.,		AH13709.1 12		E)-80'1
RESTRATOR TO CHEROLY   CALASTRAI   Corporate of the credit of the control of th	Ī.	I RSA RO DE GenBank				Г	Г	Γ		2	1,008—43
Hard Real Radius   California   California	100	NSA NR IIP GenBenk:	CAA#563.1			П	100	<u>.</u> .	AA49562,1 12	vo.	E)-EIJ'3
REGISTRA BLAD POB   128TLA   HUMAN LETROCEN RECEPTOR:   Huma supinus   247   441   144   150   147   147	DS4	NSA NR DP GenBenk	CAB40870.1	retinaic acid receptor alp		Г			AB43870.1 11	S	2.0E-43
Note Bay Rights - Prof.   Edition   Control of March   Control of Ma		I DESA RES DE P'DB	TERTA	HUMAN ESTROCEN RECEPTOR				-	OKU 13-		2.08-43
Note bea No. 12   197	)(	RSA, RR, TR, SWISS-PRO	T P16776	Secold receptor neven-to		1.			1	3	3.0B-43
EXELECT REAL REAL PROPERTY   Conditions   AAPPROPERTY   AAPP		1 RSA TR IT SWISS-PRO	Т <u>об</u>		rdanio rerio (Zehrafish) (Zehra	1			97TR8 13	s	30E-43
Figs 18.5 R 18   GerBank   AASSESTIS   Telemeist and treceptus german.   Ambytvana menticumm   Att   111 - 487   11 - 487   AASSESTIS   1   1   1   1   1   1   1   1   1	DSI	RESARRE Cendenk	- AAP1903.1		elbegierus	Г			AF19033.1 12	5	3.02-43
Figs 18th No. 18th   Column   Column		NSA ER DE GenBenk	AAF80975.1	retunde add receptor genus		Г			AFB0576.1 12	2	3.0E-43
END RALE ARE POB   DESCRIPTION   HOLD AND STROCKY RECEPOR   Home suples   245   410-484   10KU   14   4   5.05		1 MSA RR BE GenBenk	AAB35740.2	1		F			AB35740.2 17		3.0E-43
PRO EAS. NR. 107   10 CK   1	L	1 ESA 38 ILE OenBenk	AAA99349,1	Notstven				-	AA99309.1 13	5	4.0E-43
POB   10KUA   10KUA	S C	PDB PDB	PERDA	HUMAN ESTROGEN RECEPTOR			116		QKU 14		2 E E
	して	804 30 88 VSR (	10KG:A	WILD TYPE ESTROGEN					QKU 14	₹	SOE -43
Figures Read Read Read Read Read Read Read Read	C	BOA AN DA VOR	токазв	ľ.,	1 1	14.5	١,		QKU. 114	, E.F.	S08-43
120 EAS BARE   100 TO DESCRIPTION   100 TO DESCRI		BOA NO BOR	10KU:C	WILD TYPE ESTROGEN						₹	S.OB-43
	T.	NEA ME DE SWISS-PRO	T 030773	COUP transcription factor	11-	П		Ŋ.		5	60E~43
ADD CEAR - View Clipboad  notes tentralistivity in 112 12 12 12 12 12 12 12 12 12 12 12 12	肥	1 BSA ER DE GenBank	CAA60721.1	rethoic acid receptor		Ι	Г		AA60791.1 11	s	70E-43
Sort By:	ADD	<u></u>	lew Clipboa	ırd							
Sort By:	PAGES	817131310181313	57   11   101   12	क्या । १८। १८। १६। १६। १६। १६। १६।	_						
Sort By:	it. "Back to	lon									
	Filter By	// Constant of the second	dies of sustained		Medical and the control of the contr				Vite Caire		

3ERT CAA05409.2 CAA05410.2	MDPENVRAEGGDMREKVRLSSARQ-RLRCSTKNSLLVARTCVLRLVDWIEQDLKSTCE 57 MGPENESPVGGEMWGRVCVFSARQKRPRCSTLNSLLVARTCYNMLALVDWIEQDFKSTWR 60
3ERT CAA05409.2 CAA05410.2	KAHVSLRGYLDFQLQCGRRKEVAGA-LGGDTRPDPKKPRGGSKKNVEVYGDDVGSQAADS 116 KAHVSLRGFLDFELGRRKEVAGAFLGGDTRPDPKKPRGGSKKNVEVYDDDVGSQAADS 118
3ERT CAA05409.2 CAA05410.2	
3ERT CAA05409.2 CAA05410.2	GLVNISEGGKRGVEIHPPDNFGITTLDEDLGFPQIIVINVKPQTEEANTWYRQDLKYHNS 236 GPVNICEGGKRGVGIHPPDNYG-DTLDENLGLPQKIVIKVKPQTEEANTWIRQDLKNHNS 237
3ERT CAA05409.2 CAA05410.2	
3ERT CAA05409.2 CAA05410.2	RRGARRICIVCEDYASCSNTCVWSCEAYKVFFRRSQSFTDPACFTNDCNISKNRSKSCPA 356 RRGARRICIVCEDYASCSNTCVWSCEAYKVFFRRSQSFTDPACFTNDCNISKNRSKSCPA 357
3ERT CAA05409.2 CAA05410.2	


Figure 13 Part I

Ę	100 TV
3EKT CAA05409.2	GLLTNLADRELVH-MINWAKKVPGFVDLTLHDQVHLLECAWLELLMIGLVWKSMEHFGKL 402 GIKRGRQAEEESHRGSPIPKKRKGWPPGHVLSNDRAAAGTVWKPKSCEPIRREGPKWDAR 476
CAA05410.2	GIKGGRQAKQQSHRGSPIPKNRKGWPPGHVLSNDGGAGGRVWKKKSCKPIRREGPKWWDR 477
3ERT	LFAPNLLLDRNQGKCVEGMVEIFDMLLATSSRFRMMNLQGEEFVCLKSIILLNSGVYT 460
CAA05409.2	LNESTTFVLGSRANKALGKGGTRGRIYIKHPHLFKYAADPQD 518
CAA05410.2	LNESTPLFWGSRANKSLGKGGTRGRIFIKHPHLFKFAADPQD 519
3ERT	FLSSTLKSLEEKDHIHRVLDKITDTLIHLMAKAGLTL <mark>O</mark> QQH <mark>O</mark> RLAQL <mark>IL</mark> IL <mark>SHIRHM</mark> SNK 520
CAA05409.2	KHWLAEQLHMRATGGKMAYLLIEEDIE- <mark>O</mark> HHG <mark>O</mark> RFAVF <b>IM</b> KI <mark>SHIRHM</mark> VEG 568
CAA05410.2	KHWLAEQHHMRATGGKMAYLLIEEDIG- <mark>O</mark> HHG <mark>O</mark> GFPVM <b>IT</b> KI <mark>SHIRHM</mark> VGG 569 *****DIMER HELIX*****
3ERT	GMEH <mark>LY</mark> SMKCKNVVPLYDLLLEMLDAHRLHAP 552
CAA05409.2	VAHC <mark>LY</mark> DMKVIQFVLPSWKVEKLRKYVETLRTENEHRAAEASPQT 613
CAA05410.2	VAHC <mark>LY</mark> DMKEKKFVLPSWKVEKLGKYVETLRTEKEHRAAEASPQT 614

Figure 13 Part II

	प्रस्त ६६ ३। <u>धिकोप्त</u> े	Protein   <u>QSIT45 Ostruk lungtu 618 enok (U447 DAN 123-0227D</u>   <u>E00-9657T</u>   <u>Protein   Protein   Prote</u>	ICP PAGE   QUEETY   RESULTS   PROJECTS   VICAS   DATABARNES. CERTO   VICAS   VICAS   DATABARNES. CERTO   VICAS   V	な Home Mi Netscape 4 Search (a) Shop i Di Bookmaiks	CqW1iuRXC+-e+[interProScan,%27O54745%27] S] (4.Search:	C. Coort	CQW IURXC+ e-finierProScan%ZTOS4145%ZTT SEJ (S.Sagurd)  DECTS   VIEWS   DAVERANTS. CITE  2206ZTD  R8 61.31 Leaduch  R8 61.31 Leaduch
--	-------------------------------	--	--	---	--	----------	--

A: Home by Netscape C, Search (a) Shop Discokmarks  A: Home by Netscape C, Search (a) Shop Discokmarks    Nets   CD-Search (a) Shop Discokmarks   Nets   Net
De 21 ps5 protesin  Mouse-over boxes to display more information
Entre: 17
09.2  p65 protein
Mouse-over boxes to display more information
25 45 45 45 45 45 45 45 45 45 45 45 45 45
des danains na To display structure, download <u>CAIDALES!</u> Score H
Posibly producing applicant dispositories.  O posisionarionario 20
$\Phi$ galloned mass $2aR_c^2C_s$ , $C_s$ is the grain nuclear bornons receptors
Add query to anabigue dispused, desplay Up to 10 1 sequences most similar to the query
CD-length = 73 residues, 94.54 aligned Score = 63.5 bits (153), Expect = 29-11
Duety: 303 lolvadylochryvyscantyvyscanden-pindhiskiskyspag-14 359 Sdjoc: 4 polvadbasonhoviscanckyprikkykkykkykykhykysbaldsalk 63
Rusty: 360 rolaysin: 366 Sdjet: 64 rolaydng 72
se a e se s
Add query to mathigle alignment display   up to 10 I sequences   most similar to the query
CD-Jergth - 75 residus, 94.2% aligned Score - 57.4 bits (137), Expect - 19-09
dusty: 303 lalnutatasornovysiaantapratasornovistornosangotorik 360 sejet: 2 leknodasothovancedkupymsionamsoknikkanagotorik 61
Oddry: 361 - CLO 363 Sdjet: 62 Kall 65






Figure 16B

Elle Edit View Search Go Bookmarks Tasks Help	
(3) (3) (3) (4) (4) (4) (4) (5) (5)	(3) (3) (3) (2) (2) (2) (4) (4) (4) (4) (4) (4) (4) (5) (5) (6) (6) (6) (6) (7) (6) (7) (7) (8) (7) (8) (7) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8
	dyddy i wy cyfraeth ann a cyfraeth a cyfraet
்ச Home து Netscape ் Search ் Shop ் பி900kmarks	
T 1: CAABS409. p65 provein [Rent[gi4753887]	Blish, Indiana, Résind Separate, Résind Separate, Résind Separate, Résind Toronomy, Usk-Du
Caa05409 613 as linear p65 protein (Rattus norvegicus).	ROD 04-1239
actioning databases 1. 01:4753887 VERSION CAMBGOOD 2. 01:4753887 IBSUURIZ cabl locus RUB/2424, accession <u>Al002424</u> .2	
rrwan. DOMIES Rattar narragicus DOMIES Battar narragicus Dilatrypeis Betzara, Charlata, Graniata, Vertebrata, Dutelbostoni, Ezmadia, Duberia, Rodentia, Sciucomathi, Muxides Murinas	oostoni, na:
NETERING 18 (1923) AD (23) Adaps, A. and Walnerde, S. (1972) ATTIMES Remember, V. Steared, J., Adams, A. K. and Walnerde, S. (1972) TTIME. The omnoferell protein pics: a new sember of the steroid/thyroid	recid
RETERING 2 (cest dues 1 to 613) AUTHURS Hanausek, M. E.	
TILL Direct Submission JUNEAL Submission JUNEAL Submission JUNEAL Submitted (23-01-1997) Banausek M.E., Caroingenesis, University	raceity
	מודי.
REFERENCE 3 (residues 1 to 613) AUTHURS Hamausek, M.E.	
	waroity ille.
AUTHURS Hannesck, N. E. TILLE Combassion JOHNAL Submitted (UG-MNY-1999) Hannusek M.E., Carcinogenssis, University	Percally
	ille,
Contact on day 5, 1959 wis adjusted version replaced gi: 255/11.  FAMURES Location/Qualifiers source 1. 513	
KLOGAII A. Olis Aproduce-"p65 protein" CDS 1. 613	
Ī	
untun 1 adomyrasą gdarskytle sargilkost brallyarte o'irlydaieg illystekah 61 valegildig upgerferes gargildinp delysgystk mesdagelys 121 laskyfried Gioslfilys sirekkalas alterpase plasygdu lydkasylas 181 seegytype ilppolityte ildellyfye siriarkogt sasningygd lydnasasa	eekah potet aglan aansa
III FILINOMO NACARATOR compreten control de managanto de	1100 1100 1100
star entragem kangagang 1192apan kyanggan ukangang angga St. sedisaping kangalikis hirimvegra halyahkviq felpsekrek likya 601 seekrassas pçt	edire
12 (S) 3 (22 (139   Donament Done (2083 sets)	
17	

Figure 17




Figure 18: relationships between 3ERT:A, CAA05410.2 (LBDG5), BAB62888.1 (LBDG11), AAH03486.1 (LBDG12) and AAK49953.1 (LBDG13).

2	360 70 70 69	329 403 130 129	387 462 190 189
	AGAAGQPVLTNPWNIMIKHRQVQRRGRRSQMTTSFTDPACFTNDCNISKNRSKSCPACLL 3 AGAAGQPVLTNPWNIMIKHRQVQRRGRRSQMTTSFTDPAISMDLL AGAAGQPVLTNPWNIMIKHRQVQRRGRRSQMTTSFTDPAISMDLL AGAAGQPVLTNPWNIMIKPRQVQRRGRRSQMTTSFTDPAISMDLL	VSALLDAEPPILYS 3 RC-LHPSINEIRKDKRAALKVRDNVGEEVDMTGPSWTCLKLLFS 4 RAVLQPSINEEIQTVFNKYMKFFQKAALNVRDNVGEEVDAEQLIQEACRSCLEQAKLLFS 1 RAVLQPSINEEIQGVFNKYMKFFQKAALNVRDNVGEEVDAEQLIQEACRSCLEQAKLLFS 1 RAVLQPSINEEIQSVFNKYMKFFQKAALNVRDNVGEEVDAEQLIQEACRSCLEQAKLLFS 1	EYDPTRPFSEASMMGLLTNLADREL-VH-MINWAKRVPGFVDLTLHDQVHLLECAWLEIL 3 DGEKVIPRLGHELPGIKGGRQAKQQ-SHRGSPIPKNRKGWPPGHVLSNDGGAGGRVWKKK 4 DGEKVIPRLTHELPGIKRGRQAEEECAHRGSPLPKKRKGRPPGHILSSDRAAAGMVWKPK 1 DGEKVIPRLAHELPGIKRGRQAEEE-SHRGSPIPKKRKGRPPGHVLSNDRAAAGMVWKQK 1 DGEKVIPRLAHELPGIKRGRQAEEE-SHRGSPIPKKRKGRPPGHVLSNDRAAAGMVWKQK 1
(LBDG5) (LBDG11) (LBDG12) (LBDG13)	(LBDG5) (LBDG11) (LBDG12) (LBDG13)	(LBDG5) (LBDG11) (LBDG12) (LBDG13)	(LBDG5) (LBDG11) (LBDG12)
3ERT CAA05410.2 BAB62888.1 AAH03486.1 AAK49953.1	3ERT CAA05410.2 BAB62888.1 AAH03486.1 AAK49953.1	3ERT CAA05410.2 BAB62888.1 AAH03486.1 AAK49953.1	3ERT CAA05410.2 BAB62888.1 AAH03486.1


Figure 19 PartI

28/47

3887		MTGI.VWRSMEHPG-KI.I.FAPNI.I.I.DRNOGKCVEGMVETFDMI.I.ATSSRFRMMNI.OGRE 444
CAA05410.2	(LBDG5)	
BAB62888.1	(LBDG11)	SCEPIRREGPKWDPARLNESTTFVLGSRANKALGMGGTRGRI 232
AAH03486.1	(LBDG12)	SCEPIRREGPKWDPARLNESTTFVLGSRANKALGMGGTRGRI 231
AAK49953.1	(LBDG13)	SCEPIRREGPKWDPARLNESTTFVLGSRANKALGMGGTRGRI 230
3ERT		FVCLKSIILLNSGVYTFLSSTLKSLEEKDHIHRVLDKITDTLIHLMAKAGLTLQQQHQRL 504
CAA05410.2	(LBDG5)	FIKHPHLFKFAADPQDKHWLAEQHHMRATGGKMAYLLIEEDIG-QHHGQGF 553
BAB62888.1	(LBDG11)	YIKHPHLFKYAADPQDKHWLAEQHHMRATGGKMAYLLIEEDIR-D 276
AAH03486.1	(LBDG12)	YIKHPHLFKYAADPQDKHWLAEQHHMRATGGKMAYLLIEEDIR-D 275
AAK49953.1	(LBDG13)	YIKHPHLFKYAADPQDKHWLAEQHHMRATGGKMAYLLIEEDIR-D 274
3ፑው		2011.11.11.11.11.11.11.11.11.11.11.11.11.
CAA05410.2	(LBDG5)	
BAB62888.1	(LBDG11)	
AAH03486.1	(LBDG12)	
AAK49953.1	(LBDG13)	LAASDDYRGCL-DLKLEELKSFVLPSWMVEKMRKYMETLRTENEHRAAEA 323
r L		
SEKI		
CAA05410.2	(TBDG2)	
BAB62888.1	(LBDG11)	
AAH03486.1	(LBDG12)	PPQT 328
AAK49953.1	(LBDG13)	TPQT 327

Figure 19 PartII

× □ □× TOP MGE | QUERY | RESULTS | PROJECTS | VIEWS | DATABLEYS Query "([interProScan-JobSerial1] & [interProScan-JobName.temp])" found 1 entries I 图 A 空腦 Dooment Done (Life secs) Figure 20 SRS 6.1.3 | feedback Number of entries to display per page | 30 - 1 | Perinter Friendly Perfam operation:
G mall dur selected
C on selected Save Save (view Reset






Figure 22

Act   Free   Separate   Separat	Seaf
Sequences with P-value morrax than threshold	Sequences with E-raise DETER has threshold
Sequences with E-value DETER than threshold	Sequences with E-value DETER than threshold
\$ 5   \$ 5	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
S2851) TdT 1 33763) RIKZZ (01) unkmown 34400) p65 1 7332) p65 p65 p 17332) p65 p65 p 17332) p65 p67 p 17332) p65 p 17336 1	132951  TdT   133763  RIKEL 1011 unkmarn 134400  p55   134400 p56   136400 p57   13680  d44777 1348  d44777 1348  d44777 1348  d44777 1349  d44777 14   15   16   17   18   18   18   18   18   19   19   10   10   10   11   11   12   14   14   14   16   16   16   16   16   17   18   18   18   18   19   19   19   10   10   10   10   10   10   10   10
13763) RIKEZ 13763) RIKEZ 13400) P65 J 17532) P65 PF 18000535) 18000535] 180004377 180004777 18100641) T336 18100665 1811) ADAITS 1811 ADAITS 1811 ADAITS 1813) MICCOLD	132951) TdT 1 133763) RIEEE 13400) p65 p 13522) p65 p 160003555) 18400 da44777 13400 da44777 13400 da44777 13500 da44777 13500 da44777 13500 da44777 13500 da44777 13500 da4477 13500 da4477 13500 da4477 13500 da4477 13500 da4477 13500 da4477 13500 da447 13500
133763) RIKZI (01) umkmown 34400) p65 p (7332) p65 p (1532) p65 p (1532) p65 p (1532) p65 p (1532) p65 p (1532) p65 p (1532) p65 p (1533) p65 p (1532) p65 p	133763) RIKZI (01) umkmown 134400) p55 1 17322) p65 p1 17322) p65 p1 1348) d44777 1348) d44777 135 CG1248 q 155 CG1248 q 156 (Hemo : 1 11) hypochec: 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
959227.11 (NY 134400) P65 3 60002.11 (NY 01732) P65 9 9535.11ALN99335 (BC009535) 17442.11 (AL050346) A344777 951.11AC005322 (AC00522) 927.11AC005322 (AC00522) 17373.11 (NY 06641) T35G 17373.11 (NY 070331)	\$59227.11 (NR_113400) P65 150002.11 (NR_01732) P65 pp p67 pp p78
71742.11 (ALD050348) A044777 F16.11 (ARD050348) A044777 F16.11 (ARD030348) A044777 1294.21 (S62307) P65 [Bumo : 194.21 (S62307) P65 [Bumo : 194.21 (ARD05028) F1737.11 (NH_102172) cumos : 1956.2.11 (ARD05028) F1737.11 (NH_102172) cumos : 1956.2.11 (ARD0502) ADANTS : 1956.2.11 (ARD0801) ADANTS : 1956.21 (ART0801) ADANTS : 1956.21 (ART0801) ADANTS : 1956.21 (NH_10203022) AGR : 1956.21 (NH_10203023) AGR : 1956.21 (NH_10203	73642.11 (ALD050348) A044777 25.07.11 (ALD050349) A044777 25.07.11 (ALD050349) P55 [Boxxo : 154.2] (S82307) P55 [Boxxo : 154.2] (S82307) P55 [Boxxo : 154.2] (NT_056541) T23G 297.11AC052522_6 (AC05252) 297.11AC052522_6 (AC05252) 297.11AC05252_6 (AC05252) October 1 (AT_050514) ADAPTS 2025.11 (AT_050514) ADAPTS 2025.11 (AT_050514) ADAPTS 2025.11A74401_1 (AT_06051) ADAPTS 2025.11A74401_1 (AT_06051) ADAPTS 2025.11A7414401_1 (AT_06051) ADAPTS 2025.11A741401_1 (AT_06051) ADAPTS
499042.11 (NR_066641) T230, 499042.11 (NR_066641) T230, 47377.11 (NR_102172) cons. 6603.11 (AC002311) hypother. 12729.11 (AJ306314) hypother. 12729.11 (XR_069614) a d. 12730.11 (AJ420811) habarrs. 12730.11 (AJ420811) habarrs. 12730.11 (NR_018135) matoot	499042.11 (NY 066641) 72303 12727.11 (NY 1057292) 6 (AC005292) 12727.11 (NY 102172) cons 12727.11 (NY 102172) cons 12727.11 (NY 102172) cons 12729.11 (AA70811) hypother (AA70811) (AA70811) hypother (AA70811) (AA70811) hypother (AA708111) hypother (AA
INT 498042.1    INT 066641) T2306	INP 495042.1] (NK 066641) T23G MAGESTALIACOSS22_6 (ACO0S292) INP 173737.1] (NK 102172) CODS ACODS03.1] (ACO03311) MyDOCHEC: ICACGS682.1] (AA305314) ADMTS ICAD12729.1] (AA305010) ADMTS ALLIOSS.11A7414401_1 (AA40610) ALLIOSS.11A7414401_1 (AA40610) INP 354622.11 (NC 003062) AGE
NEW 495042.1]   NEW 506641)   T3365.6.p	INP_499042.1    (NK_066641)   T3305.6.p   (Coencrhabdit   41 0.023   ME6897.1   (NK_066641)   T3305.6.p   (Coencrhabdit   38 0.14   ME18737.1   (NK_02529)   Extrate   Lacabida   38 0.14   ME18737.1   (NK_02512)   Comperved hypothetical   38 0.14   ME20692.1   (A002311) hypothetical protein [Arabi   38 0.19   CAD52729.1   (A1920314) ADAHTS-13 protein [Arabi   34 2.1   CAD12729.1   (A1920314) ADAHTS-13 protein [Arabi   34 2.1   CAD12730.1   (A1920314) ADAHTS-13 protein, varian   34 2.1   CAD12730.1   (A1920311) ADAHTS-13 protein, runca   34 2.8   CAD12730.1   (A1920311) ADAHTS-13 protein, runca   34 2.8   CAD12730.1   (A1920302) AGR_23005p (Agrobacter   33 5.6   MP 056005.1   (NR_018135) mitochondrial ribosomal   39 6.1   CAD12730.1   (NR_018135) mitochondrial ribosomal   39 6.1   CAD12730.1   (A1920302)   AGR_23005p (Agrobacter   39 6.1   CAD12730.1   (A1920302)   AGR_23005p (A192030
INP   17377.11   (NK   102172  0cmserved hypothetical   38   0.14     INP   17377.11   (NK   102172  0cmserved hypothetical   38   0.14     INP   17377.11   (NK   102172  0cmserved hypothetical   38   0.14     ICAGGGG3.11   (AJ30514)   ADARTS-13 protein   (Labd)   34   0.15     ICAGGGG3.11   (AJ30514)   ADARTS-13 protein   varian   34   2.1     ICAD12729.11   (AJ30514)   ADARTS-13 protein   varian   34   2.5     INP   17474401   (AJ41401)   ADARTS-13   (Remo s   34   2.5     ICAD12730.11   (AJ420811)   ADARTS-13 protein   trunca   34   3.0     INP   354622.11   (NC   003062)   AGR   C 30055   (Agrobacter   33   5.6     INP   195605.11   (NH   D18135)   matochondrial   ribosomal   33   6.1     INP   17474401   (AJ420811)   ADARTS-13   AGR   AGR   AGR   AGR   AGR   AGR     INP   17474401   AGR	MR
ACDGGGS_11 (ACGOZZII) hypothetical protein [Acubi 38 0.19]  CACGGGGS_11 (AJ305314) ADAMTS-13 protein [Homo s 34 2.1]  CAD12728_11 (AJ420310) ADAMTS-13 protein, varion 34 2.6]  EXD12728_11 (AJ420310) ADAMTS-13 protein, varion 34 2.6]  ALLIGOS_11,AZ41490_1 (AJ441401) ADAMTS-13 protein, runce 34 2.8]  CAD1270S_11,AZ41490_1 (AJ414001) ADAMTS-13 protein, runce 34 3.0]  INP 354622_11 (NC 003062) AGR C_3065p [Agrobacter 32 5.6]  NP 05060S_11 (NE_018135) mitochondrial rihosomal 38 6.1	ACOGGS_11 (ACOGZ11) hypothetical protein [Acobi 38 0.19]  [CACGS 662_11 (AJ305314) ADARTS-13 protein [Homo s 34 2.1]  [CAD12729_11 (AJ420810) ADARTS-13 protein, varian 34 2.1]  [EX 088414,11 (EX 088414) a disintegrin-like and 34 2.7]  [EXD12729_11 (EX 088414) a disintegrin-like and 34 2.7]  [CAD12730_11 (EX 088414) a DARTS-13 protein, runca 34 3.0]  [LAD12730_11 (AJ42081) ADARTS-13 protein, runca 34 3.0]  [INP 354622_11 (HG_01815) AGR_23005p (Agrobacter 33 5.6)  [NP 060505_11 (HG_01815) mitochondial ribosomal 39 6.1]
Chinespecial   (Addonto ADARTS-13 protein, varian.)   1	
XP_089414.11 (XN_088414) a disintegrin-like and 34 2.7 \[ \text{ALL11095.11} \text{AV4401_1} \text{AV4401_1} \text{ADMT313} \text{[Enmo s 34 2.8] } \]   CAD12730.11 (AJ420911) ADMTS-13 protein, trunca 34 3.0   \text{INP_059622.11} \text{(MC_003062) ACR_C_30059} \text{(Agrobacter 33 5.6   \text{RP_060605.11} \text{(HR_018135)} \text{micochondrial ribosomal 39 6.1 } \]	XP_098914.11 (XM_088914) a disintegrin-like and 39 2.7 \$\frac{1.0292.11.1491490_1.1}{0.00005_1.1.1491490_1.1}\$
	CAD12730.1.  (AJ420811) ADANTS-19 protein, trunca 34 3.0
NP 060605.11 (NR 018135) mitochondrial ribosomal 33 6.1	NO 060605.11 (NR 016135) mirechondrial ribosomal 33 6.1
Ruin FS9-Bleast Investigation 11	Discontinuos de de la constantinuo de la constantin
The Company of the Co	


Figure 23

¥ a □ × 5186717&dopt=GenPept (Search - Chaley Control of the Control of t Protein (2) (3) (3) Shittp://www.ncbl.nlm.nlh.gov/entrez/query.fcg/?cmd=Retrieve&db=12 Home III Netscape Q Search 13 Shop Stockmarks Distance | Wite to the 1440 Desk MCBI | NLM | IIII 8 14413582 2 (testions 1 to 329) 1 Tensation 1. Tensation H. and Koivai O.

L. Direct Shamiston (19-107-1999) Reburydi Tensatii Ca. Science University of Tensation of Applied Rologied Ectences 2541 Tensation (19-107-1999) Reburydi Tensatic Ca. Science University of Tensation of Applied Rologied Rologied Sciences 2541 Tensation (19-107-1999) Reput (19-201-1999) Rep Midagrota, Metacao, Chordata, Granista, Vetchreta, Ettelootzmi, Midagrota, Metacao, Chordata, Geberchini, Sminidos, Smo. (1982) linear PRI 15-AUG-2001 Terninal decoymuchochidyltransferase directly interacts with a morel maches protein that is handlogous to p65 mass 195136 (71), 641-652 (2001) Inquepthenn rgnsquargy lalphapan qivlimpuni mikhrqutri 6 tippanedil renginsine qirqurinya fittipuninya fittipuninya miqushinya miqushan rangasali sagabilis qimbajirit lalphapitur qesecahin silabhating 181 maagawaka coquirtop kaqanlasa titriqara kalapqitiq 181 maagawaka coquirtop kaqanlasa titriqara kalapqitiq 181 maagawaka pelitreta kalapayili sedirilasa dargalalik 181 sawakariy nelitretah ravospopt Display | default | Save | Text | Add to Clipboard File Edit View Search Go Bookmarks Tasks Help 329 aa 11 Th binding protein [Homo espiens]. BASE2888 BASE2888 1 0::5186717 Locus ABO35676 accession ABO35676 1 耳 G. 总 军 强 Document Done (2077 secs) F NCBI Sequence Viewer - Netscape 6 T. 1: BAB62888. TaT timding proto... [gi15186717] Search Protein Revised: October 84, 5201. Protein LOCUS
DEPINITION
ACCESSION
VERSION
DESOURCE
KEYVORDS
SOURCE
ORGANISH PEATURES SOURCE S TITLE

Figure 24

本 ロロ× Z TOP PAGE | QUERY | FEBJUTS | PROJECTS | VICH'S | DATABRINS Query "([interPreScen-JobSerial1] & [interPreScen-JohNamactemp]] "found 1 entries SRS 6.1.3.101 teedback (G) (V) (V) (V) Intro//srs.ebl.ac.uk/srs6bin/cgi-bin/w द्ध Home ' Bi Netscape ' Search ' Shop ' ' Deook marks ID Query Result - Netscape 6 File Edit View Search Go Bookmarks Tasks Help In 医 A 经 图 Downert Done (2008 sex) Figure 25 **\*\*** Pedom operation on all but selected on selected Save (Save Reset



A SO A SO A FIRST Home South fronting House Many Fig. 90 TO SOUTH SOUTH HOME South fronting House Many Fig. 90 TO SOUTH	
tp://www.n	20 Late
Results of PSI-Blast iteration 10	is.ds
No new sequences were found above the 0.003 threshold! <u>Taxonomy geports</u>	tintario de la constitución de la c
Distribution of 13 Blast Hits on the Onery Sequence	1.3# 49 <b>4</b>
Mause-over to show define and stores. Click to show elignments  Color. Kep for Allgmant, Stores  (4) 40-50 Enignment, Stores	
1 2123 0 50 140 150 240 250 340	للا عالية ال
Logend:  ** - means that the alignment score was below the threshold on the previous iteration  ** - means that the alignment was checked on the previous iteration  ** - Mon PSI-Blasiferation 11	
HIT 11st size (250	
Sequences with E-value ERFTER than threshold	11,312
Score 3	4
Sequences producing significant alignments:	e;
♦ 15 AL119526976   REGIND S99524-11 (NH 133763) RIKEN CDNA 6430706C13 ( 584 e-166 L           ♦ 75 AL1149526976   REGIND S99524-11 (NH 133763) RIKEN CDNA 6430706C13 ( 589 e-166 L	Z 3. 2 4. V.
#11.139368241qb AAX49953.11 (AF348701) unknown [Rattus norvegicus] 561	.c
이 만든 <u>대기197055231ret]NP 599277.11</u> (NR 134400) p65 protein [Rattus nor <u>396</u> e-109 <b>대</b> 이 만드 대기892377기(도로)NP 060002.11 (NR 017532) p65 protein [Bown sepien <u>382</u> e-105 대	24.00
	•

Figure 27

	Ostuss Santa	4 1 30 T
Agress (B) New Anderman Control (B) New Anderman Control (B) New Anders (C)		
Sequences vith E-value ECITEA than threshold	SETTER than threshold	
:	Score £	
Sequences producing significant elignments:	(bits) Value	
© 15 g119526976[ref] P 596524.1] (NN 133763) RIKEN OBNA 6430706C13 [	584 e-166 B	
q1[13936824] q1[13936824] (A)		
	e-105	
gili3559986[emb[CAC36107.1] (	7e-56	
© E alizessolietine 499042.11 (NH 066641) 72365.6.p [Caenorhabdit & F. qili1465387] emb[CAC17442.1] (ALOSO348) d344773.4.2 (unvel protec	216 2e-55 11 209 3e-53 13	
P R. gil7282267[gel/Ar47676.1]         (Ak003475)         CG1248 gene product [Drosop           P R. gil9790342[gb]AAB47194.21         (S82307)         p65 [Romo sapkens]	1e-49 7e-12	
Run PSt-Bleat landon 11 💘		
Seguences with E-wal	Sequences with E-value VORSE than threshold	
_ <u>gi[8922511]ref[NP_060605.1]</u> (NH_018135) mitochondrial ribosomal	33 6.6 <b>1</b>	
Pun PSI-Blast (tendon 11		
ALKgments	ents	
### 19526976 ref.HP 596524.11	ulus] ulus] s masculus] culus]	
Scorc = 584 bits (1505), Expect = e-166 Identities = 328/328 (1004), Positives = 328/328 (1004)		
OBETY: 1 KGATGDTEOPRGPGGAERGGLELGDAGAAGOPULTNPUNIKIKERQVORRGRBSOHITSF 60		

ionre 28

本。ロロメ

Blins, Muchecida, Rassaci Schumorra, Tamonomy, Uni.Out

🕞 🖒 🕲 ் http://www.ncbl.nlm.nlh.gov/entrez/query.fcg//cmd=Retrieve&db=Dri

File Edit Ylew Search Go Bookmarks Tasks Help

RINCBI Sequence Viewer - Netscape 6

linear ROD 12-JUL-2001

AMICAGE
Sixilar to p65 protein [fine musculus].
AMICAGE
AMICAGE.1 07:13097516
Locus BC003486 accession BC003486.1

T 1: AAH03486. Similar to p65 pr...[gi:13097516]

house mouse.

R May subsclike

Rubaryota, Retacea, Ghordata, Graniata, Vertebrata, Euteloastomi,

Rumania, Eutenen, Sciurognathi, Muridae, Murinae, Kus.

1 (residues 1 to 329)

S transberg.

S francherg.

S object Schoolson


S murited (20-18-2001) National Institutes of Bealth Fammalian

Comes Objection (1007) Cancer Generics Office, Berinal, Onner

Institute, 31 Genter Drive, Rose 11403, Bethesda, NO 20192-2550,

REPERENCE AUTHORS TITLE JOURNAL

REMARK




500

Figure 29

>

TOP PACE | QUERY | SEBUTS | FROIECTS | MENS | DATABATING Query "([interProSean-JobSerial1] & [interProSean-JohName.temp]]" found 1 entries SRS 6.1.3.10 i feedback (3) (3) (3) (4) Search (3) Shop (2) Book marks [편] Query Result - Netscape 6 \_ Elle Edit View Search Go Bookmarks Tasks Help Save
Save
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(120)
(1 Poeform operatum
G m ull dut eelected
C m selected Reset






Figure 32

440 E	T. A TANK RAMAGA			HEPRIN STATE OF THE PRINT STATE
	threshold	72	threshold	
Dears.	DETTER than t Score E (bits) Value	606 e-173 580 e-171 628 e-170 413 e-120 621 8e-60 231 8e-60 231 8e-60 231 8e-60 231 8e-60 231 8e-60	DRSE than	40 0.034 36 1.12 36 1.12 36 1.13 36 2.13 36 2.13 36 2.13 37 2.13 38 28 28 28 28 28 28 28 28 28 28 28 28 28
Committee the committee of the committee of	Sequences with B-value DEFERN than threshold Sequences with B-value DEFERN than threshold Sequences producing significant alignments:	### 133763) RIKEN ONNA 6480706C13 [ ### 133763) RIKEN ONNA 6480706C13 [ ### 13326621481 ### 1333763) RIKEN ONNA 6480706C13 [ ### 13326241481 ### 1333763] The binding procesh; no ### 13326231621187 ### 1333763] Min 134400) p65 procesh [Ratus nor ### 13400332771 EX. [NH 134400] p65 procesh [Ratus nor ### 13526330 mp 1AAH09535.1.AAH09535 (BC099535) Unknown (protesh fill 13526380] mp 1247733.4.2 [novel protech #### 13352980 [mp 1AAH09535.1.AAH09535] (BC099535) Unknown (protesh fill 1355980 [mp 1AAH09535] (BC099535) Unknown (BC0950 [mp 1AAH09535] (BC0950 [mp 1AAH09535]	Sequences with B-value HOBSE than threshold	G117355250 ref NP 499042.1  (NB 066641) T2365.6.p [Cemochabdit   G112053627 ref NP 499042.1  (NB 066641) T2365.6.p [Cemochabdit   G112053621 ref NP 499042.1  (NB 066641) T2365.6.p [Cemochabdit   G115220580 ref NP 172737.1  (NB 102172) conserved hypothetical   G1115220580 ref NP 172737.1  (NB 102172) conserved hypothetical   G1121262991 ref NP 620592.1  (NB 102058) KIA1946 protein [Brmo sa   G1121262991 ref NP 620592.1  (NB 102058) a disinteqrin-like and   G1121262991 ref NP 620592.1  (NB 10028) a disinteqrin-like and   G1121262991 ref NP 620597.1  (NB 109058) a disinteqrin-like and   G1121262991 ref NP 620597.1  (NB 109058) a disinteqrin-like and   G1121265991 ref NP 620597.1  (NB 109049) a disinteqrin-like and   G1121265991 ref NP 620597.1  (NB 109049) a disinteqrin-like and   G112265991 ref NP 620597.1  (NB 109058) a disintegrin-like and   G112265991 ref NP 620597.1  (NB 109058) a disintegrin-like and   G112265991 ref NP 620597.1  (NB 109058) a disintegrin-like and   G112265991 ref NP 620597.1  (NB 109058) a disintegrin-like and   G112265991 ref NP 620597.1  (NB 109058) a disintegrin-like and   G112265991 ref NP 620597.1  (NB 109058) a disintegrin-like and   G112265991 ref NP 620597.1  (NB 109058) a disintegrin-like and   G11922511 ref NP 620597.1  (NB 109058) a disintegrin-like and   G11922511 ref NP 620597.1  (NB 109058) a disintegrin-like and   G11922511 ref NP 620597.1  (NB 109058) a disintegrin-like and   G11922511 ref NP 620597.1  (NB 109058) a disintegrin-like and   G11922511 ref NP 620597.1  (NB 109058) a disintegrin-like and   G116922511 ref NP 620597.1  (NB 109058) a disintegrin-like and   G116922511 ref NP 620597.1  (NB 109058) a disintegrin-like and   G116922511 ref NP 620597.1  (NB 109058) a disintegrin-like and   G116922511 ref NP 620597.1  (NB 109058) a disintegrin-like and   G116922511 ref NP 620597.1  (NB 109058) a disintegrin-like and   G116929104  (NB 109058) a disintegrin-like

The second secon (공) (공) (공) (공) (국) Nhtp://www.ncbl.nlm.nlh.gov/entrez/query.fcg/?cmd=Retrieve&dt>protein&list\_ulds=19936824&dopt=GenPept 중| (목 Search) 2. Horrie En Netscape (국 Search 라 Shop / 급)Bookmarks Protein Go Clear linear ROW 03-MAY-2001 The (residues 1 to 227)
Long-L. Biggody, M.F. and Nephew, R.P.
Long-L. Biggody, M.F. and Nephew, R.P.
Dyncholas and Cara Strissus
Dyncholas and Cara Strissus
Dyncholas and Cara Strissus
Long-L. Biggody, R.H. and Nephew, R.P.
Long-R. Biggody, R.H. and Nephew, R.P.
Shartteed (13-879-2011) CB/CRM, Indiana University School of
Nedition, 975 v Balme Street, Indianapolis, IN 46202, USA
Nedition, 175 v Balme Street, Indianapolis, IN 46202, USA
Locathodic Commonwall Translation. Moray rat. <u>Battus noracious</u> Pakaryota, Hatzota, Chordata, Graniata, Wertahrata, Euteleastoni, Monalia, Eutheria, Rodentia, Sciurognathi, Murideo, Murineo, Monalia, Eutheria, Rodentia, Sciurognathi, Murideo, Murineo, Sauch Protein Liens
Display [default = Save | Text] Add to Clipboard 1 ngatgdugg rydkastryg neynagang pyltupenin ilg 61 dysindlle skupenine igerbykeyrg steebarer dat 121 veqekilfad geverptlah eligitkeyrg steebarer dat 181 supvergisc geitreypke datlanett frygstakka lag 981 adaptdekte saghaterg gkanalitee dirdkasad grg 301 meydatysa tilements sastoot Elle Edit View Search Go Bookmarks Tasks Help AAK49953.1 0I:13936824 Locus AF348701 accession AE348701.1 国 G A 公 题 Dooment Done (1388 secs). Figure 34 AAK49953 327 em unknown [Rattus norvegicus]. AAK49953 NCBI Sequence Viewer - Netscape 6 T. 1: AAK 19953. wknown [Rettes n...[gi13936824] Protein CDS ADTENDAS
TUTALE
JOURNAL
JOURNAL
METERANCE
ADTENDAS
TUTALE
JOURNAL
COMMENT
FRATURES
COMMENT
FRATURES
COMMENT
CO




Figure 3




Figure 36

46/47




Figure 37




Figure 38

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.